

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

This amendment is made to correct a typographical error which appeared in the Examiner's Amendment entered February 6, 2009, in which certain newly added material was placed on page 1 rather than page 2.

Authorization for this examiner's amendment was given in a telephone interview with Rouget F. Henschel on March 16, 2009.

The application has been amended as follows:

The following language, added in the Examiner's Amendment entered February 6, 2009, has been moved from page 1, after line 33 to page 2, after line 33:

--BRIEF DESCRIPTION OF THE DRAWING

The Figure shows a free fall simulator according to one embodiment of the invention.

DETAILED DESCRIPTION OF THE INVENTION--.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kurt Fernstrom whose telephone number is (571) 272-4422. The examiner can normally be reached on M-F 9:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gene Kim can be reached on 571 272-4463. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Kurt Fernstrom/
Primary Examiner, Art Unit 3711

March 16, 2009